

**PHILIPPINE BIDDING DOCUMENTS**

**Procurement  
of GOODS**

Government of the Republic of the  
Philippines

**CITY GOVERNMENT OF NAGA**

**Name of Project/Contract:**

SUPPLY AND DELIVERY OF VARIOUS TOOL KITS (1 LOT)

**Project/Contract Reference Number:**

2024-016

**Sixth Edition  
July 2020**

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “name of the Procuring Entity” and “address for bid submission,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>7</b>
1.    Scope of Bid .....	16
2.    Funding Information.....	16
3.    Bidding Requirements .....	16
4.    Corrupt, Fraudulent, Collusive, and Coercive Practices.....	16
5.    Eligible Bidders.....	17
6.    Origin of Goods .....	18
7.    Subcontracts .....	18
8.    Pre-Bid Conference .....	18
9.    Clarification and Amendment of Bidding Documents .....	18
10.   Documents comprising the Bid: Eligibility and Technical Components .....	19
11.   Documents comprising the Bid: Financial Component .....	19
12.   Bid Prices .....	19
13.   Bid and Payment Currencies .....	20
14.   Bid Security .....	20
15.   Sealing and Marking of Bids .....	21
16.   Deadline for Submission of Bids .....	21
17.   Opening and Preliminary Examination of Bids .....	21
18.   Domestic Preference .....	21
19.   Detailed Evaluation and Comparison of Bids .....	22
20.   Post-Qualification .....	22
21.   Signing of the Contract .....	23
<b>Section III. Bid Data Sheet .....</b>	<b>24</b>
<b>Section IV. General Conditions of Contract.....</b>	<b>25</b>
1.    Scope of Contract .....	25
2.    Advance Payment and Terms of Payment .....	25
3.    Performance Security .....	25
4.    Inspection and Tests .....	25
5.    Warranty .....	26
6.    Liability of the Supplier .....	26
<b>Section V. Special Conditions of Contract .....</b>	<b>27</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>30</b>
<b>Section VII. Technical Specifications .....</b>	<b>30</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>31</b>

# Glossary of Acronyms, Terms, and Abbreviations

**ABC** –Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as Proposal and Tender. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**–Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** –Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** –Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and

solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as civil works or works. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

# Section I. Invitation to Bid

## INVITATION TO BID FOR THE SUPPLY AND DELIVERY OF VARIOUS TOOL KITS (1 LOT)

The City Government of Naga, through the DOLE Integrated Livelihood Program (DILP) Trust Account, intends to allocate the sum of **Two Million Two Hundred Twenty-Seven Thousand Six Hundred Eight (PHP 2,227,608.00)** Pesos. This amount represents the Approved Budget for the Contract (ABC) and will be utilized for payments under the contract for the Supply and Delivery of Various Tool Kits (1 Lot). These items are intended for use in the Upskilling of LERC Beneficiaries of Naga City. The Project/Contract Reference Number for this procurement is 2024-016. Please note that bids exceeding the ABC will be automatically rejected at the bid opening.

Item No.	Qty.	Unit	Items	Approved Budget for the Contract (ABC)
1	26	Pc	Clamp Meter, up to 6000 counts LCD display; AC current-maximum 100A $\pm(2.5\%+5)$ ; DC current-maximum 100A $\pm(2.5\%+3)$ ; AC voltage-maximum 600V $\pm(1\%+3)$ ; DC voltage-maximum 600V $\pm(1\%+3)$ ; Resistance: maximum 20M $\Omega$ $\pm(1\%+2)$ ; Capacitance checking, Manual or auto-range selection; Jaw Opening 17mm (+- 2mm); Auto Power Off; Power: AA or AAA batteries	31,200.00
2	26	Set	Combination wrench, 12 pcs per set. (6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 21mm, 22mm); Drop forged alloy or chrome vanadium steel construction; lobular box end design	20,800.00
3	26	Pc	Automatic wire stripper, 3-in-1 multi-function; Stripping Capacity: 0.8-2.6mm; Stripping Length: 6-10mm; Cutting Capacity: 0-10mm; Crimp Capacity: 1.5-6mm; material: High carbon steel sheet (sk-5) for body of crimping tools, low carbon steel (s1018c) for lock screws and river Medium carbon steel (ss41) for lock	13,520.00



			lid; PVC grip and spring steel for high tension return spring handle	
4	26	Set	Precision Screwdrivers Set, 30 in 1 Screwdriver, Philips (+) PH00, PH0, PH1, PH2; Torx T4, T5, T6, T7, T8, T10, T15, T20; Flat (-) 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm; Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0; 3.0mm, 3.0mm, 2.6mm, 2.0mm, 1.0mm; Made of Chrome Vanadium; Soft TPL Handle	26,000.00
5	26	Pc	Soldering iron, 30 watts; 220-240 volts/60hz; Heat pencil tip	9,100.00
6	26	Roll	Soldering lead, wire material: Tin; Diameter: 0.3/0.4/0.5mm; Melting Point: 168°C; Weight: at least 90g/roll	2,600.00
7	26	Pc	Desoldering Pump/Solder Sucker, Anodized aluminum housing; dimension: (LxWxH) 13.18 x 1.73 x 1.29" / 33.5 x 4.4 x 3.3cm	10,400.00
8	26	Set	Multi-tester, Analog, DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V; ACV Range: 10, 50, 250, 750 V; Internal Battery: R6 (IEC) or UM-3 1.5V x 2", Size: (HxWxD) approx. 159.5x129x41.5mm; Weight: about 320g; Resistance: X1, X10, X100, X1K, X100k; Over-voltage protection, With battery included	54,600.00
9	26	Set	Screwdriver, Cushion Grip Screwdriver; magnetized tip for easy pick-up of screws , 6 pcs (Slotted/standard 6mm x 150mm, Slotted/standard parallel 5mm x 100mm, Slotted/standard parallel 3mm x 100mm, Slotted/standard parallel 5mm x 150mm, PH2 x 150mm, PH1 x 100mm)	26,000.00
10	26	Pc	Electrician Plier, Overall Length: about 7.75"; Steel Alloy; Handle finish; plastic-dipped	11,700.00
11	26	Pc	Diagonal Cutting Plier, Overall Length: about 8"; Material: Forged steel; Rust-resistant finish with hardened cutting edges	13,000.00
12	26	Set	Allen wrench, 9-pc ball point hex key set (1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm); material: Chrome Vanadium steel; Long arm; Heat treatment and chrome plate	12,740.00
13	26	Pc	Adjustable wrench, about 10" long; chrome plated; adjustable clamp size: 0-30mm	8,060.00

14	26	Pc	Long Nose Plier, Overall Length: about 8"; forged-steel; rust resistant finish; double-dipped handle, hardened cutting edges and chrome-nickel steel	13,000.00
15	26	Pc	Heat Gun, voltage: 220-20V, 50-60Hz; input power: 2000W; temperature: 350-550 degree C; airflow: 300/ 500L/min, with 1pc nozzle	59,800.00
16	26	Pc	LAN cable tester, Main Tester: 1-2-3-4-5-6-7-8-G; Remote Tester: 1-2-3-4-5-6-7-8-G (RJ45), 1-2-3-4-5-6- (RJ12), 1-2-3-4 (RJ11); On/Off switch can also be set to 'S' (slow); Power supply 9V DC battery (included)	39,000.00
17	26	Set	Crimping Tool, hydraulic pliers, at least: 310mm long; all steel frame with hard plastic handles; stripping for RJ-11/RJ-12/RJ-45	104,000.00
18	54	Pc	Welding Helmet, Auto Darkening Helmet, Power Supply: Battery and Solar Powered; Light Shade: DIN9-1,, Dark Shade: DIN4; Switching time: 1/25000s; Delay time: 0.1-0.8s; Sensitivity Adjustment: Stepless control; Operation Temperature: -5 degrees- 55 degrees; Active viewing Area: 93mmx43mm; active viewing area size: (+/- 10mm); Item Weight: at least 1.85 pounds; Package Dimensions: approximately 12-12.4" (L) x 9-9.61" (W) x 7-7.68" (H)	54,000.00
19	54	Set	Welding magnets, 6 pcs/set, overall length: at least (3"); hold capacity: up to 25lbs; arrow design supports angle: 45°, 90°, and 135°; Item Weight: 295g; Package Dimensions: 4.88 x 4.72 x 3.98 inches; material: Steel; magnets size: approximately - top (1-1.4cm), bottom (6.5-7cm), side (7-7.5cm) thickness (1-1.3cm)	21,600.00
20	54	Pc	Speed Square, material: cast aluminum; size: about 18x18x2cm/7.09x7.09x0.79"; weight: about 130g; triangle-shaped	16,200.00
21	54	Unit	Portable welding machine, input voltage: 220-240; frequency: 50-60Hz; output current: 10-220A; LED display; no-load voltage: 85V; max. output current: 220A; diameter of electrode: 1.6-3.2mm; inclusions: 1 pc electrode holder, 1 pc earth clamp with cable	626,400.00

22	54	Unit	Heavy Duty Corded Drill, rated input power: 750W; chuck capacity: upto 13mm; Drill capacity: metal (16mm), wood (25mm), masonry (12mm); dimension: 268mm (L) x 69mm (W) x 192mm (H); weight w/out cable: approximately 1.6-1.8 kg; Spindle collar diameter of 43 mm	324,000.00
23	54	Set	Metal Drill Bit set, material: High Speed Steel; 19pcs per set (1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm,6.5mm,7mm,7.5mm,8mm,8.5mm,9mm,9.5mm,10mm); point angle:118degree C; standards: DIN 338; bit geometry: standard twist bit	33,480.00
24	54	Unit	Angle Grinder, rated input power: 730W; wheel diameter: 4"; rated voltage: 220V; frequency: 60Hz; no load speed: 12,000 rpm; weight: approximately 1.6kg; Grinding spindle thread: M10; Disc diameter: 100mm x 1 x 16mm, dimension: 298mm (L), 77mm (W), 102mm (H)	243,000.00
25	54	Set	Angle Grinder Cutting disk, 10 pcs. per set; dimensions: approx. 105mm (4") x 1.2mm (3/64") x 16mm (5/8")	11,880.00
26	54	Pc	Welding suit, 100% cotton with Pyrovatex; 2 back pockets and rule pocket with safety gusset feature; High quality and long lasting; two way zipper; approximate cloth size: Large	216,000.00
27	54	Set	Needle File Set, (6 Pieces Hand Metal Files, Hardened Alloy, Strength Steel Set Includes Flat, Flat Warding, Square, Triangular, Round, and Half-Round File); Color Black; Metal Type: Carbon Steel; Handle Material: Wood, Alloy Steel; Item Dimensions: approximately 6.1" (L) x 3" (W) x 0.5" (H)	25,920.00
28	54	Pc	Mig Welding Pliers, overall length: at least 210mm; material: high carbon steel; handle material: thermoplastic rubber	18,900.00
29	54	Pc	Chipping Hammer, Item Weight: at least 13.8 ounces; Product Dimensions: 11" (L) x 1" (W) x 7.5" (H); material:, genuine leather grip and forged steel	27,000.00
30	4	Unit	Portable Hand Drill, power sourced: battery powered - 2pc 21 volt 1500mAh Lithium-Ion batteries; maximum rotational speed: 1500 rpm;	18,488.00

			voltage: 21V; amperage: 1.5 Amps; chuck size: 0.38"; bit heads diameters: from 0.8mm - 10mm; Product Dimensions: 9.6" (L) x 2.1" (W) x 7.5" (H); Material: Plastic, Rubber, Metal; Item Dimensions: approx. 9.6" (L) x 2.1" (W) x 7.5" (H); Item Weight: at least 2.5 Pounds; Item Torque: 330 Inch Pounds; inclusions: 1x21 volt Inspiritech Cordless Power Drill, 2x Rechargeable Battery, 1x English User Manual, 10x self-drilling drywall anchors, 10x Screwdriver Bits, 2x Double Ended Bits, 3x Drilling Bits, 1x Magnetic Extension Socket Bit Holder, 10x Anchors with Screws, 1x one-hour fast Charger, 1x Flexible Extension shaft, 1x Carrying Bag	
31	4	Unit	Circular Saw, voltage: 220-240V; frequency: 50-60Hz; input Power: 1400W; no-load Speed: at least 4800rpm; blade diameter: 185mm; cutting capacity: 45degree: 44mm, 90 degree: 65mm; maximum cutting depth: at least 90°62mm, weight: maximum of 5.2kg; item approximate dimension: 15-17cm (H), 25-28cm (W), 30-35cm (L)	21,512.00
32	4	Pc	Wood Planer, Length: 235mm; Width & Depth: 44x2mm; Steel: Q195	2,800.00
33	4	Unit	Electric Router, Voltage: 220V-240V~50/60Hz; Input power: 2200W; No-load speed: 22000rpm; Collet size: 6, 8, 12mm 1/4", 1/2"; Plunge capacity: 0-60mm; With manual and warranty card included	23,600.00
34	4	Pc	Framing hammer, Handle Material: Alloy Steel; Item Dimensions: approximately 16-17" (L) x 5.75-6" (W) x 1.5-2" (H); Item Weight: at least 1.4 Pounds	2,800.00
35	4	Pc	Trim hammer, Handle Material: wood; head material: Alloy Steel; Item Dimensions approximately: 14-15" (L) x 5-6"(W) x 1-2" (H); Item Weight: at least 594 Grams	2,800.00
36	4	Pc	Roofing hammer: Item Weight: 1.25 pounds; Product Dimensions: approx. 13.7" (L) x 6.75" (W) x 1.5" (H)	2,800.00
37	4	Pc	Meter Tape with magnetic hook, blade material: nylon coated blade; dimensions: 16ft (L) x 25mm (W)	720.00
38	4	Pc	Chalk line, Item Weight: 10.6 ounces; product dimensions: approx. 1200"	2,000.00

			(L) x 4.72" (W) x 5.91" (H) inches; Color: Blue; Material Type: Alloy Steel, Rubber	
39	4	Pc	Utility knife, handle material: aluminum; Material: aluminum alloy; weight: 120g/pcs; Blade size: 19mm (W) x 61mm (H) x 0.6mm (T); blade material: steel; thickness: at least 0.6mm	1,000.00
40	4	Pc	Tin Snips: Item Weight: at least 1 pound; Package Dimensions: approx. 12.36" (L) x 3.7" (W) x 1.3" (H); Size: Long Straight, 12 inches long, blade length: 3.20"; material: steel; Cutting thickness range up to 1.2mm carbon steel and 0.7mm	3,480.00
41	4	Pc	Speed Square, material: cast aluminum; size: about 18x18x2cm/7.09x7.09x0.79"; weight: about 130g; triangle-shaped	1,200.00
42	4	Pc	Framing Square, Shorter Leg Measures At 8 Inch Outside and 6.5 Inch Inside; Longer Leg Measures At 12 Inch Outside and 11 Inch Inside; material: carbon steel	2,400.00
43	4	Pc	Level, box beam style, material: aluminum; dimension: approximately 24-24.5" (L) x 2-2.6" (W) x 1.2-1.5" (H); weight: at least 0.8 Pounds	2,000.00
44	4	Set	Wood chisel; 4-piece set (6mm; 12mm; 19m; 25mm); tempered chrome carbon steel blade; hardened shank; rust-resistant, lacquered coated blade; bi-material handle	2,760.00
45	3	Pc	Crow bar, at least 36" long; length tolerance: +- 1/8; material: forged steel carbon	2,055.00
46	3	Pc	Claw hammer, round head, head weight: at least 16oz; overall weight: approximately 17oz-23oz; head material: forged steel, handle material: fiberglass handle with rubber cushion; overall length: approximately 12-14"	1,650.00
47	3	Pc	Hacksaw with Blade, Material: aluminum alloy frame with soft-grip handle; at least 12"-15" long including handle; with soft-grip rubber handle; Bi-metal; Blade length: about 30cm, Width: 3cm	2,550.00
48	3	Pc	Meter Tape with magnetic hook, blade material: nylon coated blade; dimensions: 16ft (L) x 25mm (W)	540.00
49	3	Pc	Handsaw, blade length: about 15";	1,290.00

			blade material: carbon steel; handle length: 5";; handle material: plastic/rubber; color: gray; 8 teeth per inch	
50	3	Pc	Shovel, Round End, Tempered steel blade: 17-23 cm; blade tip width; 22-28cm blade tip length; all metal handle; overall length: 100cm-115 cm; Capacity: 350-400 lbs	1,290.00
51	3	Pc	Shovel, Rectangular End, Tempered steel blade: 22-26 cm; blade tip width; 22-28cm blade tip length; all metal handle; overall length: 100cm-115 cm	1,170.00
52	3	Pc	Level bar, aluminum frame, Length: at least 24"/60cm; aluminum thickness: 1.5mm; double side milles; 0.5mm/m accurate vials	1,650.00
53	3	Pc	Steel Float/Plastering Trowel, Thickness: at least 0.7 mm; Surface measurement, Length: 12", Width: 4"; Material: High carbon steel with wood handle	1,260.00
54	3	Pc	Steel square, carpenter's framing square, blade width: 2" scale: at least 16" (L) x 24" (W); Material: Steel	1,170.00
55	3	Pc	Masonry Trowel, Length: at least 12"long, width: 6"; Material: flat steel, with wood handle	1,350.00
56	3	Unit	Circular Saw, voltage: 220-240V; frequency: 50-60Hz; input Power: 1400W; no-load Speed: at least 4800rpm; blade diameter: 185mm; cutting capacity: 45degree: 44mm, 90 degree: 65mm; maximum cutting depth: at least 90°62mm, weight: maximum of 5.2kg; item approximate dimension: 15-17cm (H), 25-28cm (W), 30-35cm (L)	16,134.00
57	3	Pc	Masonry Square/Metric Square, Material: Aluminum; Length: approx. 24", Width: 16", 1/8 " thickness	1,155.00
58	3	Pc	Mason's Level, at least 48" long, aluminum reinforced frame	1,740.00
59	3	Pc	Sledge Hammer, Weight: at least 3 lbs with fiberglass handle; forged steel round head; Length: Approximately 25-27"	1,380.00
60	3	Pc	Concrete chisel, pointed sharp end, Material: forged steel chisel, with rubberized handle; Length: Approximately 10"	975.00
61	3	Set	Putty Knife/Paint Scraper set (4pcs), Stainless steel blade with rubberized handle; Blade Width: 1", 2" and 3",	1,341.00



			Length including handle: Approximately 8-9"	
62	3	Tube	Mason's Line, #18 braided nylon; 500 ft./roll, color orange	600.00
63	3	Unit	Hammer Drill, Electric, 1980W 220V; Rated Frequency: 50/60Hz; Load Speed: 0-3800rpm (revolutions per minute); Chuck: 13mm with Ergonomic anti-slip handle	8,928.00
64	3	Unit	Angle Grinder, rated input power: 730W; wheel diameter: 4"; rated voltage: 220V; frequency: 60Hz; no load speed: 12,000 rpm; weight: approximately 1.6kg; Grinding spindle thread: M10; Disc diameter: 100mm x 1 x 16mm, dimension: 298mm (L), 77mm (W), 102mm (H)	13,500.00
65	3	Set	Angle Grinder Cutting disk, 10 pcs. per set; dimensions: approx. 105mm (4") x 1.2mm (3/64") x 16mm (5/8")	660.00
66	3	Pc	Wooden Float, size: at least 12x4"; has 5/8" thick rubber pad; with wooden handle	960.00

1. The City Government of Naga invites bids for the above Procurement Project. Delivery of the Goods is required **within 30 calendar days after the issuance of the Notice to Proceed (NTP)**. Bidders should have completed a contract similar to the Project within the last five (5) years from the date of submission and receipt of bids. The description of an eligible bidder is contained in the Bidding Documents, specifically in Section II (Instructions to Bidders).
2. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.  
  
Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.
3. Prospective Bidders may obtain further information from Local Government Unit of Naga City and inspect the Bidding Documents at the BAC Secretariat Office, Room 107, GF, City Hall Building, City Hall Compound from 8:00AM to 5:00PM. The 6<sup>th</sup> edition of the Philippine Bidding Documents (PBDs) will be used.
4. A complete set of Bidding Documents may be acquired by interested Bidders on Wednesday, March 27, 2024 to Monday, April 15, 2024 from the BAC Secretariat Office, Room 107, GF, City Hall Building, City Hall Compound and may be downloaded at websites, [naga.gov.ph](http://naga.gov.ph) and [www.philgeps.gov.ph](http://www.philgeps.gov.ph) and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand (P 5,000.00) Pesos. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person during the dropping of bids.


5. The City Government of Naga will hold a **Pre-Bid Conference** on Thursday, April 4, 2024 at 3:00PM at the City Procurement Office, Room 107, Ground Floor, Main Building, City Hall Compound, which shall be open to prospective bidders.
6. Bids must be duly received by the BAC Secretariat through manual submission at the City Procurement Office, Ground Floor, City Hall Building, City Hall Compound, on or before 3:00PM on Tuesday, April 16, 2024. Late bids shall not be accepted.
7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
8. **Bid opening** shall be on Tuesday, April 16, 2024, 3:00PM at the City Procurement Office, Ground Floor, City Hall Building, City Hall Compound. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
9. Additional information:
  - a) An Annual Registration Fee of Three Thousand (P 3,000.00) Pesos is required.
  - b) Forms in the PBD should be used in submitting proposals and should remain unaltered.
  - c) Bidders are strongly encouraged to download the digital copy of the Bid Documents utilizing the PhilGEPS DRL facility.
10. The City Government of Naga reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

**ENGR. ALEXANDER N. CANING**

Acting City Engineer, City Engineer's Office  
1st Floor City Hall Building, City Hall Compound, J. Miranda Avenue  
Concepcion Pequena, Naga City 4400  
Mobile Number: +639175801165  
Email address: bac@naga.gov.ph, cc: alexandercaning@gmail.com  
Website: www.naga.gov.ph

12. For downloading of bidding documents, you may visit the following websites: [www.philgeps.gov.ph](http://www.philgeps.gov.ph) / [www.naga.gov.ph](http://www.naga.gov.ph)

Date of Issue: March 27, 2024 to April 5, 2024

  
**ENGR. ALEXANDER N. CANING**  
Chairperson, Bids and Awards Committee  
ESIGNATURE: 26/MAR/2024



# Section II. Instructions to Bidders

## 1. Scope of Bid

The Procuring Entity, City Government of Naga wishes to receive Bids for the Supply and Delivery of Various Tool Kits (1 Lot) for use in the Upskilling of LERC beneficiaries of Naga City, with Project/Contract Reference Number: 2024-016.

The Procurement Project (referred to herein as “Project”) is composed of 1 item, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The LGU through the source of funding as indicated below for **Year 2024** in the amount of **Two Million Two Hundred Twenty-Seven Thousand Six Hundred Eight (P 2,227,608.00)** Pesos.

2.2. The source of funding is: DILP Trust Fund

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under

Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
  - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.

Foreign ownership limited to those allowed under the rules may participate in this Project.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA’s CPI, must be at least equivalent to:
  - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
  - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of

bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies] of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

## **7. Subcontracts**

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that: Subcontracting is not allowed.

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at the **City Procurement Office, Room 107, Ground Floor, Main Building, City Hall Compound, Naga City**, as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB Clause 5.3** should have been completed within five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
  - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
  - ii. The cost of all customs duties and sales and other taxes already paid or payable;
  - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
  - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

### 13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2 Payment of the contract price shall be made in: Philippine Pesos.

### 14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

- 14.2. The Bid and bid security shall be valid within one hundred twenty (120) calendar days from date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## **15. Sealing and Marking of Bids**

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.



# Section III. Bid Data Sheet

## Bid Data Sheet

<b>ITB Clause</b>	
5.3	For this purpose, contracts similar to the Project shall be:  a. <b>Supply and Delivery of Electrical, Welding, Carpentry, and Masonry Tools</b>
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than P <b>44,552.16</b> [equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than P <b>111,380.40</b> [equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.

# Section IV. General Conditions of Contract

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project

specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.

5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

## Special Conditions of Contract

GCC Clause	
1	<b>Delivery and Documents –</b>
	For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	“The delivery terms applicable to the Contract are DDP delivered in Naga City. In accordance with INCOTERMS.”
	“The delivery terms applicable to this Contract are delivered in Naga City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity’s Representative is <b>Mr. Roderick D. Reforsado, Acting City PESO Manager.</b>
	<b>Incidental Services –</b>
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
	e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	<b>Spare Parts –</b>
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

	1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
	2. in the event of termination of production of the spare parts:
	i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
	ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
	The spare parts and other components required are listed in <b>Section VI (Schedule of Requirements)</b> and the costs thereof are included in the contract price.
	The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the goods.
	Spare parts or components shall be supplied as promptly as possible.
	<b>Packaging –</b>  The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
	The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
	The outer packaging must be clearly marked on at least four (4) sides as follows:
	Name of the Procuring Entity: <b>Local Government Unit of Naga City</b>
	Name of the Supplier
	Contract Description: <b>Supply and Delivery of Various Tool Kits (1 Lot)</b>
	Final Destination: <b>Metro PESO, LGU of Naga City</b>
	Gross weight
	Any special lifting instructions
	Any special handling instructions
	Any relevant HAZCHEM classifications
	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	<b>Transportation –</b>
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other

	named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	<b>Intellectual Property Rights –</b>
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
4	The inspections and tests that will be conducted are: the <b>General Services Office (GSO), Metro PESO,</b> and the ____
	<b>Terms of Payment –</b> Supplier may claim for progress billing on every completed, inspected, and accepted delivery as indicated in the delivery period as stated in the Invitation to Bid. Attached with the delivery receipt, the supplier is to issue and submit a statement of account to the procuring unit for progress payment processing within 30 days.

## Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Days/Weeks/Months
1	Supply and Delivery of Various Tool Kits (1 Lot)  <b>Note: See Separate Sheet</b>			30 Calendar Days After Issuance of NTP

## Section VII. Technical Specifications Technical Specifications

Item	Specification	Statement of Compliance
		[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]
1	Supply and Delivery of Various Tool Kits (1 Lot)  <b>Note: See Separate Sheet</b>	

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Days/Weeks/Months
1	Clamp Meter, up to 6000 counts LCD display; AC current-maximum 100A $\pm(2.5\%+5)$ ; DC current-maximum 100A $\pm(2.5\%+3)$ ; AC voltage-maximum 600V $\pm(1\%+3)$ ; DC voltage-maximum 600V $\pm(1\%+3)$ ; Resistance: maximum 20M $\Omega$ $\pm(1\%+2)$ ; Capacitance checking, Manual or auto-range selection; Jaw Opening 17mm (+- 2mm); Auto Power Off; Power: AA or AAA batteries	26		
2	Combination wrench, 12 pcs per set. (6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 21mm, 22mm); Drop forged alloy or chrome vanadium steel construction; lobular box end design	26		
3	Automatic wire stripper, 3-in-1 multi-function; Stripping Capacity: 0.8-2.6mm; Stripping Length: 6-10mm; Cutting Capacity: 0-10mm; Crimp Capacity: 1.5-6mm; material: High carbon steel sheet (sk-5) for body of crimping tools, low carbon steel (s1018c) for lock screws and river Medium carbon steel (ss41) for lock lid; PVC grip and spring steel for high tension return spring handle	26		



# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

4	Precision Screwdrivers Set, 30 in 1 Screwdriver, Philips (+) PH00, PH0, PH1, PH2; Torx T4, T5, T6, T7, T8, T10, T15, T20; Flat (-) 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm; Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0; 3.0mm, 3.0mm, 2.6mm, 2.0mm, 1.0mm; Made of Chrome Vanadium; Soft TPL Handle	26		
5	Soldering iron, 30 watts; 220-240 volts/60hz; Heat pencil tip □	26		
6	Soldering lead, wire material: Tin; Diameter: 0.3/0.4/0.5mm; Melting Point: 168°C; Weight: atleast 90g/roll	26		
7	Desoldering Pump/Solder Sucker, Anodized aluminum housing; dimension: (LxWxH) 13.18 x 1.73 x 1.29" / 33.5 x 4.4 x 3.3cm	26		
8	Multi-tester, Analog, DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V; ACV Range: 10, 50, 250, 750 V; Internal Battery: R6 (IEC) or UM-3 1.5V x 2", Size: (HxWxD) approx. 159.5x129x41.5mm; Weight: about 320g; Resistance: X1, X10, X100, X1K, X100k; Over-voltage protection, With battery included	26		
9	Screwdriver, Cushion Grip Screwdriver; magnetized tip for easy pick-up of screws , 6 pcs (Slotted/standard 6mm x 150mm, Slotted/standard parallel 5mm x 100mm, Slotted/standard parallel 3mm x 100mm, Slotted/standard parallel 5mm x 150mm, PH2 x 150mm, PH1 x 100mm)	26		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

10	Electrician Plier, Overall Length: about 7.75"; Steel Alloy; Handle finish; plastic-dipped	26		
11	Diagonal Cutting Plier, Overall Length: about 8"; Material: Forged steel; Rust-resistant finish with hardened cutting edges □	26		
12	Allen wrench, 9-pc ball point hex key set (1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm); material: Chrome Vanadium steel; Long arm; Heat treatment and chrome plate	26		
13	Adjustable wrench, about 10" long; chrome plated; adjustable clamp size: 0-30mm	26		
14	Long Nose Plier, Overall Length: about 8"; forged-steel; rust resistant finish; double-dipped handle, hardened cutting edges and chrome-nickel steel	26		
15	Heat Gun, voltage: 220-20V, 50-60Hz; input power: 2000W; temperature: 350-550 degree C; airflow: 300/ 500L/min, with 1pc nozzle	26		
16	LAN cable tester, Main Tester: 1-2-3-4-5-6-7-8-G; Remote Tester: 1-2-3-4-5-6-7-8-G (RJ45), 1-2-3-4-5-6- (RJ12), 1-2-3-4 (RJ11); On/Off switch can also be set to 'S' (slow); Power supply 9V DC battery (included)	26		
17	Crimping Tool, hydraulic pliers, atleast: 310mm long; all steel frame with hard plastic handles; stripping for RJ-11/RJ-12/RJ-45	26		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

18	Welding Helmet, Auto Darkening Helmet, Power Supply: Battery and Solar Powered; Light Shade: DIN9-1;, Dark Shade: DIN4; Switching time: 1/25000s; Delay time: 0.1-0.8s; Sensitivity Adjustment: Stepless control; Operation Temperature: -5 degrees- 55 degrees; Active viewing Area: 93mmx43mm; active viewing area size: (+/- 10mm); Item Weight: atleast 1.85 pounds; Package Dimensions: approximately 12-12.4" (L) x 9-9.61" (W) x 7-7.68" (H)	54		
19	Welding magnets, 6 pcs/set, overall length: atleast (3"); hold capacity: up to 25lbs; arrow design supports angle: 45°, 90°, and 135°; Item Weight: 295g; Package Dimensions: 4.88 x 4.72 x 3.98 inches; material: Steel; magnets size: approximately - top (1-1.4cm), bottom (6.5-7cm), side (7-7.5cm) thickness (1-1.3cm)	54		
20	Speed Square, material: cast aluminum; size: about 18x18x2cm/7.09x7.09x0.79"; weight: about 130g; triangle-shaped	54		
21	Portable welding machine, input voltage: 220-240; frequency: 50-60Hz; output current: 10-220A; LED display; no-load voltage: 85V; max. output current: 220A; diameter of electrode: 1.6-3.2mm; inclusions: 1 pc electrode holder, 1 pc earth clamp with cable,	54		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

22	Heavy Duty Corded Drill, rated input power: 750W; chuck capacity: upto 13mm; Drill capacity: metal (16mm), wood (25mm), masonry (12mm); dimension: 268mm (L) x 69mm (W) x 192mm (H); weight w/out cable: approximately 1.6-1.8 kg; Spindle collar diameter of 43 mm	54		
23	Metal Drill Bit set, material: High Speed Steel; 19pcs per set (1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm,6.5mm,7mm,7.5mm,8mm,8.5mm,9mm,9.5mm,10mm); point angle:118degree C; standards: DIN 338; bit geometry: standard twist bit	54		
24	Angle Grinder, rated input power: 730W; wheel diameter: 4"; rated voltage: 220V; frequency: 60Hz; no load speed: 12,000 rpm; weight: approximately 1.6kg; Grinding spindle thread: M10; Disc diameter: 100mm x 1 x 16mm, dimension: 298mm (L), 77mm (W), 102mm (H)	54		
25	Angle Grinder Cutting disk, 10 pcs.per set; dimensions: approx. 105mm (4") x 1.2mm (3/64") x 16mm (5/8")	54		
26	Welding suit, 100% cotton with Pyrovatex; 2 back pockets and rule pocket with safety gusset feature; High quality and long lasting; two way zipper; approximate cloth size: Large	54		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

27	Needle File Set, (6 Pieces Hand Metal Files, Hardened Alloy, Strength Steel Set Includes Flat, Flat Warding, Square, Triangular, Round, and Half-Round File); Color Black; Metal Type: Carbon Steel; Handle Material: Wood, Alloy Steel; Item Dimensions: approximately 6.1" (L) x 3" (W) x 0.5" (H)	54		
28	Mig Welding Pliers, overall length: at least 210mm; material: high carbon steel; handle material: thermoplastic rubber	54		
29	Chipping Hammer, Item Weight: at least 13.8 ounces; Product Dimensions: 11" (L) x 1" (W) x 7.5" (H); material:, genuine leather grip and forged steel	54		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

30	<p>Portable Hand Drill, power sourced: battery powered - 2pc 21 volt 1500mAh Lithium-Ion batteries; maximum rotational speed: 1500 rpm; voltage: 21V; amperage: 1.5 Amps; chuck size: 0.38"; bit heads diameters: from 0.8mm - 10mm; Product Dimensions: 9.6" (L) x 2.1" (W) x 7.5" (H); Material: Plastic, Rubber, Metal; Item Dimensions: approx. 9.6" (L) x 2.1" (W) x 7.5" (H); Item Weight: atleast 2.5 Pounds; Item Torque: 330 Inch Pounds; inclusions: 1x21 volt Inspiretech Cordless Power Drill, 2x Rechargeable Battery, 1x English User Manual, 10x self-drilling drywall anchors, 10x Screwdriver Bits, 2x Double Ended Bits, 3x Drilling Bits, 1x Magnetic Extension Socket Bit Holder, 10x Anchors with Screws, 1x one-hour fast Charger, 1x Flexible Extension shaft, 1x Carrying Bag</p>	4		
31	<p>Circular Saw, voltage: 220-240V; frequency: 50-60Hz; input Power: 1400W; no-load Speed: atleast 4800rpm; blade diameter: 185mm; cutting capacity: 45degree: 44mm, 90 degree: 65mm; maximum cutting depth: atleast 90°62mm, weight: maximum of 5.2kg; item approximate dimension: 15-17cm (H), 25-28cm (W), 30-35cm (L)</p>	4		
32	<p>Wood Planer, Length: 235mm; Width&amp;Depth: 44x2mm; Steel: Q195</p>	4		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

33	Electric Router, Voltage: 220V-240V~50/60Hz; Input power: 2200W; No-load speed: 22000rpm; Collet size: 6, 8, 12mm 1/4", 1/2"; Plunge capacity: 0-60mm; With manual and warranty card included	4		
34	Framing hammer, Handle Material: Alloy Steel; Item Dimensions: approximately 16-17" (L) x 5.75-6" (W) x 1.5-2" (H); Item Weight: at least 1.4 Pounds	4		
35	Trim hammer, Handle Material: wood; head material: Alloy Steel; Item Dimensions approximately: 14-15" (L) x 5-6"(W) x 1-2" (H); Item Weight: at least 594 Grams	4		
36	Roofing hammer: Item Weight: 1.25 pounds; Product Dimensions: approx. 13.7" (L) x 6.75" (W) x 1.5" (H)	4		
37	Meter Tape with magnetic hook, blade material: nylon coated blade; dimensions: 16ft (L) x 25mm (W)	4		
38	Chalk line, Item Weight: 10.6 ounces; product dimensions: approx. 1200" (L) x 4.72" (W) x 5.91" (H) inches; Color: Blue; Material Type: Alloy Steel, Rubber	4		
39	Utility knife, handle material: aluminum; Material: aluminum alloy; weight: 120g/pcs; Blade size: 19mm (W) x 61mm (H) x 0.6mm (T); blade material: steel; thickness: at least 0.6mm	4		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

40	Tin Snips: Item Weight: atleast 1 pound; Package Dimensions: approx. 12.36" (L) x 3.7" (W) x 1.3" (H); Size: Long Straight, 12 inches long, blade length: 3.20"; material: steel; Cutting thickness range up to 1.2mm carbon steel and 0.7mm	4		
41	Speed Square, material: cast aluminum; size: about 18x18x2cm/7.09x7.09x0.79"; weight: about 130g; triangle-shaped	4		
42	Framing Square, Shorter Leg Measures At 8 Inch Outside and 6.5 Inch Inside; Longer Leg Measures At 12 Inch Outside and 11 Inch Inside; material: carbon steel	4		
43	Level, box beam style, material: alluminum; dimension: approximately 24-24.5" (L) x 2-2.6" (W) x 1.2-1.5" (H); weight: atleast 0.8 Pounds	4		
44	Wood chisel; 4-piece set (6mm; 12mm; 19m; 25mm); tempered chrome carbon steel blade; hardened shank; rust-resistant, lacquered coated blade; bi-material handle	4		
45	Crow bar, atleast 36" long; length tolerance: +- 1/8; material: forged steel carbon	3		
46	Claw hammer, round head, head weight: atleast 16oz; overall weight: approximately 17oz-23oz; head material: forged steel, handle material: fiberglass handle with rubber cushion; overall length: approximately 12-14"	3		



# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

47	Hacksaw with Blade,Material: aluminum alloy frame with soft-grip handle; At least 12"-15" long including handle; with soft-grip rubber handle; Bi-metal; Blade length: about 30cm, Width: 3cm	3		
48	Meter Tape with magnetic hook, blade material: nylon coated blade; dimensions: 16ft (L) x 25mm (W)	3		
49	Handsaw, blade length: about 15"; blade material: carbon steel; handle length: 5";; handle material: plastic/rubber; color: gray; 8 teeth per inch	3		
50	Shovel, Round End, Tempered steel blade: 17-23 cm; blade tip width; 22-28cm blade tip length; all metal handle; overall length: 100cm-115 cm; Capacity: 350-400 lbs	3		
51	Shovel, Rectangular End, Tempered steel blade: 22-26 cm; blade tip width; 22-28cm blade tip length; all metal handle; overall length: 100cm-115 cm	3		
52	Level bar, aluminum frame, Length: atleast 24"/60cm; aluminum thickness: 1.5mm; double side milles; 0.5mm/m accurate vials	3		
53	Steel Float/Plastering Trowel, Thickness: atleast 0.7 mm; Surface measurement, Length: 12", Width: 4"; Material: High carbon steel with wood handle	3		
54	Steel square, carpenter's framing square, blade width: 2" scale: atleast 16" (L) x 24" (W); Material: Steel	3		
55	Masonry Trowel, Length: atleast 12"long, width: 6"; Material: flat steel, with wood handle	3		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

56	Circular Saw, voltage: 220-240V; frequency: 50-60Hz; input Power: 1400W; no-load Speed: atleast 4800rpm; blade diameter: 185mm; cutting capacity: 45degree: 44mm, 90 degree: 65mm; maximum cutting depth: atleast 90°62mm, weight: maximum of 5.2kg; item approximate dimension: 15-17cm (H), 25-28cm (W), 30-35cm (L)	3		
57	Masonry Square/Metric Square, Material: Aluminum; Length: approx. 24", Width: 16", 1/8 " thickness	3		
58	Mason's Level, atleast 48" long, aluminum reinforced frame	3		
59	Sledge Hammer, Weight: atleast 3 lbs with fiberglass handle; forged steel round head; Length: Approximately 25-27"	3		
60	Concrete chisel, pointed sharp end, Material: forged steel chisel, with rubberized handle; Length: Approximately 10"	3		
61	Putty Knife/Paint Scraper set (4pcs), Stainless steel blade with rubberized handle; Blade Width: 1", 2" and 3", Length including handle: Approximately 8-9"	3		
62	Mason's Line, #18 braided nylon; 500 ft./roll, color orange	3		
63	Hammer Drill, Electric, 1980W 220V; Rated Frequency: 50/60Hz; Load Speed: 0-3800rpm (revolutions per minute); Chuck: 13mm with Ergonomic anti-slip handle	3		

# Section VI. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

64	Angle Grinder, rated input power: 730W; wheel diameter: 4"; rated voltage: 220V; frequency: 60Hz; no load speed: 12,000 rpm; weight: approximately 1.6kg; Grinding spindle thread: M10; Disc diameter: 100mm x 1 x 16mm, dimension: 298mm (L), 77mm (W), 102mm (H)	3		
65	Angle Grinder Cutting disk, 10 pcs.per set; dimensions: approx. 105mm (4") x 1.2mm (3/64") x 16mm (5/8")	3		
66	Wooden Float, size: atleast 12x4"; has 5/8" thick rubber pad; with wooden handle	3		

# Section VII. Technical Specifications

Item	Specification	Statement of Compliance
		<p>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder’s statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</p>
1	Clamp Meter, up to 6000 counts LCD display; AC current-maximum 100A $\pm(2.5\%+5)$ ; DC current-maximum 100A $\pm(2.5\%+3)$ ; AC voltage-maximum 600V $\pm(1\%+3)$ ; DC voltage-maximum 600V $\pm(1\%+3)$ ; Resistance: maximum 20M $\Omega$ $\pm(1\%+2)$ ; Capacitance checking, Manual or auto-range selection; Jaw Opening 17mm (+- 2mm); Auto Power Off; Power: AA or AAA batteries	
2	Combination wrench, 12 pcs per set. (6mm, 8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 19mm, 21mm, 22mm); Drop forged alloy or chrome vanadium steel construction; lobular box end design	
3	Automatic wire stripper, 3-in-1 multi-function; Stripping Capacity: 0.8-2.6mm; Stripping Length: 6-10mm; Cutting Capacity: 0-10mm; Crimp Capacity: 1.5-6mm; material: High carbon steel sheet (sk-5) for body of crimping tools, low carbon steel (s1018c) for lock screws and river Medium carbon steel (ss41) for lock lid; PVC grip and spring steel for high tension return spring handle	

# Section VII. Technical Specifications

4	Precision Screwdrivers Set, 30 in 1 Screwdriver, Philips (+) PH00, PH0, PH1, PH2; Torx T4, T5, T6, T7, T8, T10, T15, T20; Flat (-) 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm; Hex 1.0, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0; 3.0mm, 3.0mm, 2.6mm, 2.0mm, 1.0mm; Made of Chrome Vanadium; Soft TPL Handle	
5	Soldering iron, 30 watts; 220-240 volts/60hz; Heat pencil tip □	
6	Soldering lead, wire material: Tin; Diameter: 0.3/0.4/0.5mm; Melting Point: 168°C; Weight: atleast 90g/roll	
7	Desoldering Pump/Solder Sucker, Anodized aluminum housing; dimension: (LxWxH) 13.18 x 1.73 x 1.29" / 33.5 x 4.4 x 3.3cm	
8	Multi-tester, Analog, DCV Range: 0.1, 0.25, 2.5, 10, 50, 250, 1000 V; ACV Range: 10, 50, 250, 750 V; Internal Battery: R6 (IEC) or UM-3 1.5V x 2", Size: (HxWxD) approx. 159.5x129x41.5mm; Weight: about 320g; Resistance: X1, X10, X100, X1K, X100k; Over-voltage protection, With battery included	
9	Screwdriver, Cushion Grip Screwdriver; magnetized tip for easy pick-up of screws , 6 pcs (Slotted/standard 6mm x 150mm, Slotted/standard parallel 5mm x 100mm, Slotted/standard parallel 3mm x 100mm, Slotted/standard parallel 5mm x 150mm, PH2 x 150mm, PH1 x 100mm)	
10	Electrician Plier, Overall Length: about 7.75"; Steel Alloy; Handle finish; plastic-dipped	
11	Diagonal Cutting Plier, Overall Length: about 8"; Material: Forged steel; Rust-resistant finish with hardened cutting edges □	
12	Allen wrench, 9-pc ball point hex key set (1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm); material: Chrome Vanadium steel; Long arm; Heat treatment and chrome plate	
13	Adjustable wrench, about 10" long; chrome plated; adjustable clamp size: 0-30mm □	
14	Long Nose Plier, Overall Length: about 8"; forged-steel; rust resistant finish; double-dipped handle, hardened cutting edges and chrome-nickel steel	
15	Heat Gun, voltage: 220-20V, 50-60Hz; input power: 2000W; temperature: 350-550 degree C; airflow: 300/500L/min, with 1pc nozzle	
16	LAN cable tester, Main Tester: 1-2-3-4-5-6-7-8-G; Remote Tester: 1-2-3-4-5-6-7-8-G (RJ45), 1-2-3-4-5-6-(RJ12), 1-2-3-4 (RJ11); On/Off switch can also be set to 'S' (slow); Power supply 9V DC battery (included)	
17	Crimping Tool, hydraulic pliers, atleast: 310mm long; all steel frame with hard plastic handles; stripping for RJ-11/RJ-12/RJ-45	

## Section VII. Technical Specifications

18	Welding Helmet, Auto Darkening Helmet, Power Supply: Battery and Solar Powered; Light Shade: DIN9-1; Dark Shade: DIN4; Switching time: 1/25000s; Delay time: 0.1-0.8s; Sensitivity Adjustment: Stepless control; Operation Temperature: -5 degrees- 55 degrees; Active viewing Area: 93mmx43mm; active viewing area size: (+/- 10mm); Item Weight: atleast 1.85 pounds; Package Dimensions: approximately 12-12.4" (L) x 9-9.61" (W) x 7-7.68" (H)	
19	Welding magnets, 6 pcs/set, overall length: atleast (3"); hold capacity: up to 25lbs; arrow design supports angle: 45°, 90°, and 135°; Item Weight: 295g; Package Dimensions: 4.88 x 4.72 x 3.98 inches; material: Steel; magnets size: approximately - top (1-1.4cm), bottom (6.5-7cm), side (7-7.5cm) thickness (1-1.3cm)	
20	Speed Square, material: cast aluminum; size: about 18x18x2cm/7.09x7.09x0.79"; weight: about 130g; triangle-shaped	
21	Portable welding machine, input voltage: 220-240; frequency: 50-60Hz; output current: 10-220A; LED display; no-load voltage: 85V; max. output current: 220A; diameter of electrode: 1.6-3.2mm; inclusions: 1 pc electrode holder, 1 pc earth clamp with cable,	
22	Heavy Duty Corded Drill, rated input power: 750W; chuck capacity: upto 13mm; Drill capacity: metal (16mm), wood (25mm), masonry (12mm); dimension: 268mm (L) x 69mm (W) x 192mm (H); weight w/out cable: approximately 1.6-1.8 kg; Spindle collar diameter of 43 mm	
23	Metal Drill Bit set, material: High Speed Steel; 19pcs per set (1mm,1.5mm,2mm,2.5mm,3mm,3.5mm,4mm,4.5mm,5mm,5.5mm,6mm,6.5mm,7mm,7.5mm,8mm,8.5mm,9mm,9.5mm,10mm); point angle:118degree C; standards: DIN 338; bit geometry: standard twist bit	
24	Angle Grinder, rated input power: 730W; wheel diameter: 4"; rated voltage: 220V; frequency: 60Hz; no load speed: 12,000 rpm; weight: approximately 1.6kg; Grinding spindle thread: M10; Disc diameter: 100mm x 1 x 16mm, dimension: 298mm (L), 77mm (W), 102mm (H)	
25	Angle Grinder Cutting disk, 10 pcs.per set; dimensions: approx. 105mm (4") x 1.2mm (3/64") x 16mm (5/8")	
26	Welding suit, 100% cotton with Pyrovatex; 2 back pockets and rule pocket with safety gusset feature; High quality and long lasting; two way zipper; approximate cloth size: Large	

## Section VII. Technical Specifications

27	Needle File Set, (6 Pieces Hand Metal Files, Hardened Alloy, Strength Steel Set Includes Flat, Flat Warding, Square, Triangular, Round, and Half-Round File); Color Black; Metal Type: Carbon Steel; Handle Material: Wood, Alloy Steel; Item Dimensions: approximately 6.1" (L) x 3" (W) x 0.5" (H)	
28	Mig Welding Pliers, overall length: at least 210mm; material: high carbon steel; handle material: thermoplastic rubber	
29	Chipping Hammer, Item Weight: at least 13.8 ounces; Product Dimensions: 11" (L) x 1" (W) x 7.5" (H); material: , genuine leather grip and forged steel	
30	Portable Hand Drill, power sourced: battery powered - 2pc 21 volt 1500mAh Lithium-Ion batteries; maximum rotational speed: 1500 rpm; voltage: 21V; amperage: 1.5 Amps; chuck size: 0.38"; bit heads diameters: from 0.8mm - 10mm; Product Dimensions: 9.6" (L) x 2.1" (W) x 7.5" (H); Material: Plastic, Rubber, Metal; Item Dimensions: approx. 9.6" (L) x 2.1" (W) x 7.5" (H); Item Weight: at least 2.5 Pounds; Item Torque: 330 Inch Pounds; inclusions: 1x21 volt Inspiretech Cordless Power Drill, 2x Rechargeable Battery, 1x English User Manual, 10x self-drilling drywall anchors, 10x Screwdriver Bits, 2x Double Ended Bits, 3x Drilling Bits, 1x Magnetic Extension Socket Bit Holder, 10x Anchors with Screws, 1x one-hour fast Charger, 1x Flexible Extension shaft, 1x Carrying Bag	
31	Circular Saw, voltage: 220-240V; frequency: 50-60Hz; input Power: 1400W; no-load Speed: at least 4800rpm; blade diameter: 185mm; cutting capacity: 45degree: 44mm, 90 degree: 65mm; maximum cutting depth: at least 90°62mm, weight: maximum of 5.2kg; item approximate dimension: 15-17cm (H), 25-28cm (W), 30-35cm (L)	
32	Wood Planer, Length: 235mm; Width&Depth: 44x2mm; Steel: Q195	
33	Electric Router, Voltage: 220V-240V~50/60Hz; Input power: 2200W; No-load speed: 22000rpm; Collet size: 6, 8, 12mm 1/4", 1/2"; Plunge capacity: 0-60mm; With manual and warranty card included	
34	Framing hammer, Handle Material: Alloy Steel; Item Dimensions: approximately 16-17" (L) x 5.75-6" (W) x 1.5-2" (H); Item Weight: at least 1.4 Pounds	
35	Trim hammer, Handle Material: wood; head material: Alloy Steel; Item Dimensions approximately: 14-15" (L) x 5-6"(W) x 1-2" (H); Item Weight: at least 594 Grams	

## Section VII. Technical Specifications

36	Roofing hammer: Item Weight: 1.25 pounds; Product Dimensions: approx. 13.7" (L) x 6.75" (W) x 1.5" (H)	
37	Meter Tape with magnetic hook, blade material: nylon coated blade; dimensions: 16ft (L) x 25mm (W)	
38	Chalk line, Item Weight: 10.6 ounces; product dimensions: approx. 1200" (L) x 4.72" (W) x 5.91" (H) inches; Color: Blue; Material Type: Alloy Steel, Rubber	
39	Utility knife, handle material: aluminum; Material: aluminum alloy; weight: 120g/pcs; Blade size: 19mm (W) x 61mm (H) x 0.6mm (T); blade material: steel; thickness: at least 0.6mm	
40	Tin Snips: Item Weight: at least 1 pound; Package Dimensions: approx. 12.36" (L) x 3.7" (W) x 1.3" (H); Size: Long Straight, 12 inches long, blade length: 3.20"; material: steel; Cutting thickness range up to 1.2mm carbon steel and 0.7mm	
41	Speed Square, material: cast aluminum; size: about 18x18x2cm/7.09x7.09x0.79"; weight: about 130g; triangle-shaped	
42	Framing Square, Shorter Leg Measures At 8 Inch Outside and 6.5 Inch Inside; Longer Leg Measures At 12 Inch Outside and 11 Inch Inside; material: carbon steel	
43	Level, box beam style, material: aluminum; dimension: approximately 24-24.5" (L) x 2-2.6" (W) x 1.2-1.5" (H); weight: at least 0.8 Pounds	
44	Wood chisel; 4-piece set (6mm; 12mm; 19mm; 25mm); tempered chrome carbon steel blade; hardened shank; rust-resistant, lacquered coated blade; bi-material handle	
45	Crow bar, at least 36" long; length tolerance: +/- 1/8"; material: forged steel carbon	
46	Claw hammer, round head, head weight: at least 16oz; overall weight: approximately 17oz-23oz; head material: forged steel, handle material: fiberglass handle with rubber cushion; overall length: approximately 12-14"	
47	Hacksaw with Blade, Material: aluminum alloy frame with soft-grip handle; At least 12"-15" long including handle; with soft-grip rubber handle; Bi-metal; Blade length: about 30cm, Width: 3cm	
48	Meter Tape with magnetic hook, blade material: nylon coated blade; dimensions: 16ft (L) x 25mm (W)	
49	Handsaw, blade length: about 15"; blade material: carbon steel; handle length: 5"; handle material: plastic/rubber; color: gray; 8 teeth per inch	



## Section VII. Technical Specifications

50	Shovel, Round End, Tempered steel blade: 17-23 cm; blade tip width; 22-28cm blade tip length; all metal handle; overall length: 100cm-115 cm; Capacity: 350-400 lbs	
51	Shovel, Rectangular End, Tempered steel blade: 22-26 cm; blade tip width; 22-28cm blade tip length; all metal handle; overall length: 100cm-115 cm	
52	Level bar, aluminum frame, Length: at least 24"/60cm; aluminum thickness: 1.5mm; double side milles; 0.5mm/m accurate vials	
53	Steel Float/Plastering Trowel, Thickness: at least 0.7 mm; Surface measurement, Length: 12", Width: 4"; Material: High carbon steel with wood handle	
54	Steel square, carpenter's framing square, blade width: 2" scale: at least 16" (L) x 24" (W); Material: Steel	
55	Masonry Trowel, Length: at least 12"long, width: 6"; Material: flat steel, with wood handle	
56	Circular Saw, voltage: 220-240V; frequency: 50-60Hz; input Power: 1400W; no-load Speed: at least 4800rpm; blade diameter: 185mm; cutting capacity: 45degree: 44mm, 90 degree: 65mm; maximum cutting depth: at least 90°62mm, weight: maximum of 5.2kg; item approximate dimension: 15-17cm (H), 25-28cm (W), 30-35cm (L)	
57	Masonry Square/Metric Square, Material: Aluminum; Length: approx. 24", Width: 16", 1/8 " thickness	
58	Mason's Level, at least 48" long, aluminum reinforced frame	
59	Sledge Hammer, Weight: at least 3 lbs with fiberglass handle; forged steel round head; Length: Approximately 25-27"	
60	Concrete chisel, pointed sharp end, Material: forged steel chisel, with rubberized handle; Length: Approximately 10"	
61	Putty Knife/Paint Scraper set (4pcs), Stainless steel blade with rubberized handle; Blade Width: 1", 2" and 3", Length including handle: Approximately 8-9"	
62	Mason's Line, #18 braided nylon; 500 ft./roll, color orange	
63	Hammer Drill, Electric, 1980W 220V; Rated Frequency: 50/60Hz; Load Speed: 0-3800rpm (revolutions per minute); Chuck: 13mm with Ergonomic anti-slip handle	
64	Angle Grinder, rated input power: 730W; wheel diameter: 4"; rated voltage: 220V; frequency: 60Hz; no load speed: 12,000 rpm; weight: approximately 1.6kg; Grinding spindle thread: M10; Disc diameter: 100mm x 1 x 16mm, dimension: 298mm (L), 77mm (W), 102mm (H)	

## Section VII. Technical Specifications

65	Angle Grinder Cutting disk, 10 pcs.per set; dimensions: approx. 105mm (4") x 1.2mm (3/64") x 16mm (5/8")	
66	Wooden Float, size: atleast 12x4"; has 5/8" thick rubber pad; with wooden handle	

# Section VIII. Checklist of Technical and Financial Documents

## Checklist of Technical and Financial Documents

### I. TECHNICAL COMPONENT ENVELOPE

#### Class “A” Documents

##### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) **in accordance with Section 8.5.2 of the IRR;**

##### Technical Documents

- (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission **or** Original copy of Notarized Bid Securing Declaration; **and**
- (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (f) Original duly signed Omnibus Sworn Statement (OSS) **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

##### Financial Documents

- (g) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC) **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class “B” Documents

- (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence **or** duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is

successful.

## II. FINANCIAL COMPONENT ENVELOPE

- (i) Original of duly signed and accomplished Financial Bid Form; **and**
- (j) Original of duly signed and accomplished Price Schedule(s).

### Other documentary requirements under RA No. 9184 (as applicable)

- (k) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

# FORMS

## Bid Form for the Procurement of Goods

Date : \_\_\_\_\_

Project/Contract Identification No.: \_\_\_\_\_

To: **CITY GOVERNMENT OF NAGA**  
City Hall Compound, J. Miranda Avenue  
Concepcion Pequena, Naga City

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers \_\_\_\_\_ [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to

\_\_\_\_\_ [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of

\_\_\_\_\_ (P \_\_\_\_\_) Pesos [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of  
Of agent Currency Commission or gratuity

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of \_\_\_\_\_ [name of the bidder] as evidenced by the attached \_\_\_\_\_ [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

# Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES)  
CITY OF NAGA ) S.S.

## AFFIDAVIT

I, \_\_\_\_\_, of legal age, \_\_\_\_\_ [Civil Status], \_\_\_\_\_  
[Nationality], and residing at \_\_\_\_\_,  
after having been duly sworn in accordance with law, do hereby depose and state that:

1. [If a sole proprietorship:] I am the sole proprietor or authorized representative of \_\_\_\_\_ with office address at \_\_\_\_\_;

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of \_\_\_\_\_ with office address at \_\_\_\_\_;

2. [If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of \_\_\_\_\_, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for \_\_\_\_\_ of the City Government of Naga, as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for \_\_\_\_\_ of the City Government of Naga, as shown in the attached \_\_\_\_\_ [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable);];

3. \_\_\_\_\_ is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. \_\_\_\_\_ is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:]None of the officers and members of \_\_\_\_\_ is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of \_\_\_\_\_ is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. \_\_\_\_\_ complies with existing labor laws and standards; and

8. \_\_\_\_\_ is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:

- a. Carefully examining all of the Bidding Documents;
- b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the \_\_\_\_\_.

9. \_\_\_\_\_ did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**



**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ at Naga City, Philippines.

\_\_\_\_\_

Name of Bidder or its Authorized Representative

\_\_\_\_\_

Signatory's legal capacity

**Affiant**

**SUBSCRIBED AND SWORN** to before me this \_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ [month] [year] at \_\_\_\_\_ [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her \_\_\_\_\_ [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_\_\_ at \_\_\_\_\_.

Witness my hand and seal this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ [month] [year].

\_\_\_\_\_

REPUBLIC OF THE PHILIPPINES )  
CITY OF NAGA ) S.S.

**BID SECURING DECLARATION**

**Project/Contract Identification No.:** \_\_\_\_\_

To: **CITY GOVERNMENT OF NAGA**  
City Hall Compound, J. Miranda Avenue  
Concepcion Pequena, Naga City

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of \_\_\_\_\_ [month], \_\_\_\_\_ [year] at \_\_\_\_\_ [place of execution].

\_\_\_\_\_  
Name of Bidder or its Authorized Representative

\_\_\_\_\_  
Signatory's legal capacity

**Affiant**

**SUBSCRIBED AND SWORN** to before me this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ [month] [year] at \_\_\_\_\_ [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her \_\_\_\_\_ [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_\_\_ at \_\_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ [month] [year].

## STATEMENT OF THE BIDDER'S SINGLE LARGEST COMPLETED CONTRACT (SLCC)

(similar to the contract to be bid, except under conditions provided for in Section 23.4.1.3 and 23.4.2.4 of the IRR, within 10 years)

Business Name: \_\_\_\_\_  
 Business Address: \_\_\_\_\_

Name of Contract	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Amount of Contract	Amount of Completed contract (amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement)	Date of Delivery
GOVERNMENT							
PRIVATE							

Note: This statement shall be supported with: 1. Contract, 2. Certificate of Completion, 3. End user's acceptance or official receipt(s) or sales invoice issued for the contract

**STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE  
CONTRACTS**

(including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid)

Business Name: \_\_\_\_\_  
Business Address: \_\_\_\_\_

Name of Contract	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods	Amount of Contract	Value of Outstanding Contracts	Delivery Schedule
GOVERNMENT							
PRIVATE							

Note: This statement shall be supported with: 1. Notice of Award and/or Contract; 2. Notice to Proceed, 3. Certificate of Accomplishment signed by the owner or authorized representative

Submitted by:


\_\_\_\_\_  
Name & Signature of Authorized Representative

\_\_\_\_\_  
Designation

\_\_\_\_\_  
Date

**NOTE:**

- PLEASE USE THE FORMS PROVIDED IN THIS PBD AND SHOULD REMAIN UNALTERED.
- KINDLY PUT TABS AT THE RIGHT SIDE OF ALL THE DOCUMENTARY REQUIREMENTS.



**\* All envelopes must be properly sealed and labeled indicating the project name, project reference number, date and time of bid opening, business name, business address, contact information of the participating bidder.**